

Anycast vs. DDoS: Evaluating Nov. 30

Giovane C. M. Moura¹, Ricardo de O. Schmidt²,
John Heidemann³, Wouter B. de Vries²,
*Moritz Müller*¹, Lan Wei³, Cristian Hesselman¹

¹SIDN Labs ²University of Twente ³USC/ISI

NMRG at IETF 97 Seoul 2016-11-15

V 0.1

A Bad Day at the Root...




data: RIPE DNSmon
red: >30% loss
(some sites ~99% loss!)

What happened?

What does “red”
really mean?

Anycast vs. DDoS
in general?

How *Well* Does Anycast Defend?



**561 root DNS sites
for 13 services (in 2016-01)**

is 561 *too few?*
too many?
what happens *under stress?*


Leaflet | Map data © OpenStreetMap contributors

Contributions


- public evaluation of anycast under stress
- public articulation of design options
- evaluation of collateral damage

- goals:
 - public discussion → greater transparency
 - expectation setting
 - possible future defenses


Anycast in Good Times




Anycast in Good Times



Anycast in Good Times




Anycast in Good Times



Anycast in Good Times


(some **sites** have more capacity)



anycast matches a **user** to a (hopefully) nearby **site**

Anycast in Good Times


(some **sites** have more capacity)




anycast matches a **user** to a (hopefully) nearby **site**

anycast divides the Internet into **catchements** (often messy and non-geographic)


Anycast Under Stress




Anycast Under Stress




Anycast Under Stress




Anycast Under Stress




Anycast Under Stress



Anycast Under Stress




Anycast Reactions to Stress (do nothing?)




Anycast Reactions to Stress

(withdraw some routes?)




Anycast Reactions to Stress

(withdraw other routes?)




Best Reaction to Stress? You Don't Know



Data About Nov. 30

- RIPE Atlas
 - ~9000 vantage points (RIPE Atlas probes)
 - try every *letter* every 4 minutes
 - CHAOS query identifies *server* and implies *site*
 - targets *letters*, not Root DNS
 - we map *server*->*site*
 - map will be public dataset
- RSSAC-002 reports
 - self-reports from letters
 - not guaranteed when under stress
- BGPmon routing
 - control plane

6996 RIPE Atlas VPs on 2015-11-30
(looking at K-Root)



Summary of the Events

- two events
 - 2015-11-30t06:50 for 2h40m
 - 2015-12-01t05:10 for 1h
- affected 10 of 13 letters
- about 5M q/s or 3.5Gb/s per affected letter
 - aggregate: 34Gb/s (unreflected)
- real DNS queries, common query names, from spoofed source Ips
- **implications:**
 - some letters had high loss
 - overall, though DNS worked fine
 - clients retried other letters (as designed)
 - but we want to do better

data:
A-Root had full view
(Verisign presentation);
RSSAC-002 reports

How About the Letters?

some did great:


D, L, M: not attacked

A: no visible loss


most suffered:

a bit (E, F, I, J, K)



or a lot (B, C, G, H)





Reachability at K's Sites





Reachability at K's Sites



Reachability at K's Sites




Reachability at K's Sites



sites see fewer VPs, but why?


- query loss?
- route change?

Site *Flips* from Routing Changes




[Moura16a, figure 11;
data: RIPE Atlas]

Site *Flips* from Routing Changes



Site *Flips* from Routing Changes



Flips: Implications



- some ISPs are “sticky” and won’t flip
 - will suffer if their site is overloaded
- some ISPs will flip
 - but new site may not be much better
- result depends on many factors
 - actions taken by root operator
 - routing choices by operator *and peer*
 - and perhaps *peer’s peers*, depending on congestion location
 - implementation choices
 - DNS, routing

During An Event: Active Routing Changes or Not?

- no active routing changes
 - should expect partial loss in future attacks
 - overloaded catchments will suffer during attack
 - need to pre-deploy excess capacity
 - *operators understand and are doing these;*
- active routing changes
 - important when aggregate attack and defense capacity is similar
 - requires *much* better measurement and route control
 - important to reduce client losses at smaller sites
 - *seems necessary to get to 0% loss*

Aside: Collateral Damage

- can an event hurt non-targets?
- *yes!* ...a risk of shared datacenters



.NL-FRA and .NL-AMS: *no* traffic


D-FRA and D-SYD: less traffic
(even though D was not directly attacked)

Recommendations


- current approach reasonable
 - build out capacity in advance
 - no active re-routing during attack
 - should expect some loss during each attack
- need true diversity to avoid collateral damage
- longer-term
 - need research to improve measurement and control
 - active control can improve loss during some attacks
- how many sites needed?
 - there is a *lot* of capacity already
 - many small sites seem to increase partial outages

More Info


- paper:
<http://www.isi.edu/~johnh/PAPERS/Moura16b>
- data:
<https://ant.isi.edu/datasets/anycast/>



Confirming Flips in BGP



flips common during events for most letters



flips seen in BGP